



# Cougar Soils Map



State: **California**  
 County: **Fresno**  
 Location: **14-14S-24E**  
 Township: **Sierra**  
 Acres: **853.8**  
 Date: **6/26/2017**



Maps Provided By:



© AgriData, Inc. 2017

www.AgriDataInc.com



Soils data provided by USDA and NRCS.

©2017 AgriData, Inc.

## Area Symbol: CA654, Soil Area Version: 9

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Alfalfa hay Irrigated	Almonds	Annual hay crop	Avocados Irrigated	Barley	Barley Irrigated	Corn Irrigated	Lemons Irrigated	Olives Irrigated	Oranges Irrigated	Pasture
VkD	Vista very rocky coarse sandy loam, 3 to 30 percent slopes	157.93	18.5%		Vle	Vle				615				350		375	
VIF	Vista very rocky coarse sandy loam, shallow, 30 to 70 percent slopes	120.90	14.2%		VIII					375						165	
Cr	Chino loam	80.39	9.4%		IVc	I											
Hd	Hanford sandy loam, benches	76.30	8.9%		IVe	Ile											
FcD	Fallbrook very rocky sandy loam, 3 to 30 percent slopes	61.19	7.2%		Vle	IVe											
FaB	Fallbrook sandy loam, 3 to 9 percent slopes	52.91	6.2%		IIle	IIle		100	6		21						
GtB	Greenfield sandy loam, 3 to 9 percent slopes	37.17	4.4%		IVe	Ile	8				21						





VfB	Vista coarse sandy loam, 3 to 9 percent slopes	1.43	0.2%		Ive	Ive				25	45					200	
W	Water	1.43	0.2%		VIII												
CzbB	Cometa loam, 2 to 9 percent slopes	0.94	0.1%		Ive	Ive					27						215
CzaC	Cometa sandy loam, 9 to 15 percent slopes	0.62	0.1%		Ive	Ive					27						215
FaD	Fallbrook sandy loam, 15 to 30 percent slopes, moderately deep, MLRA 18	0.37	0.0%		Vle	Ive											
<b>Weighted Average</b>							<b>0.9</b>	<b>10.5</b>	<b>0.6</b>	<b>182.9</b>	<b>5.6</b>	<b>0.9</b>	<b>0.8</b>	<b>68.3</b>	<b>0.1</b>	<b>117.5</b>	<b>*-</b>

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.