



Kingfisher Ranch Soils Map



Soils data provided by USDA and NRCS.

©2017 AgriData, Inc.



©2017 AgriData, Inc.

State: **California**
 County: **Fresno**
 Location: **36-20S-15E**
 Township: **Coalinga**
 Acres: **623.73**
 Date: **1/24/2017**



Maps Provided By:



© AgriData, Inc. 2017

www.AgriDataInc.com



Area Symbol: CA653, Soil Area Version: 11

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Alfalfa hay Irrigated	Almonds Irrigated	Barley Irrigated	Cantaloupe Irrigated	Corn silage Irrigated	Cotton lint Irrigated	Lettuce Irrigated	Safflower Irrigated	Table grapes Irrigated	Tomatoes Irrigated
476	Posochanet clay loam, saline-sodic, 0 to 2 percent slopes	454.77	72.9%		Vlls	lls	8		80			1300		1.4		18
960	Excelsior, sandy substratum-westhaven association, flooded, 0 to 2 percent slopes	66.03	10.6%		Vllw	llw										
445	Excelsior sandy loam, 0 to 2 percent slopes, MLRA 17	34.23	5.5%		Vllc	l										
448	Excelsior loamy sand, sandy substratum, 0 to 1 percent slopes, eroded	32.04	5.1%		Vllc	lls			75			850	300			
447	Excelsior sandy loam, sandy substratum, 0 to 2 percent slopes	28.39	4.6%		Vlls	lls	6	1100	80	275	22	900	350			

478	Cerini sandy loam, 0 to 2 percent slopes, MLRA 17	4.71	0.8%		Vllc	I										
474	Westhaven loam, 0 to 2 percent slopes	3.56	0.6%		Vllc	I	9	1800	80			1300			350	22
Weighted Average							6.2	60.3	66.3	12.5	1	1039.9	31.3	1	2	13.2

Area Symbol: CA653, Soil Area Version: 11

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.