
Hooks Soils Map



160

Frank-Wimberly-Rd

Norristown Covena Rd

©2016 AgriData, Inc.

State: Georgia
County: Emanuel

Location: 32° 30' 43.64, -82° 27' 49.18

Township: Adrian
Acres: 445.17
Date: 8/26/2016







Area	Area Symbol: GA107, Soil Area Version: 9																
Code	Soil Description		Percent of field	Non-Irr Class Legend	Non- Irr Clas s *c	Bahiagrass	Cool season grasses	Cor n	Cotton lint	Gras s hay	Improved bermudagrass	Peanuts	Soybeans	Tobacco	Warm season grasses	Watermelons	Wh t
TfA	Tifton loamy sand, 0 to 2 percent slopes	166.02	37.3%		I												
DoA	Dothan loamy sand, 0 to 2 percent slopes	147.12	33.0%		I												
TfB	Tifton loamy sand, 2 to 5 percent slopes	46.77	10.5%		lle												
KFA	Kinston and Bibb soils, frequently flooded	31.82	7.1%		Vlw												
CnA	Clarendon loamy sand, 0 to 2 percent slopes	23.91	5.4%		llw												
Re	Rembert sandy loam, ponded	20.01	4.5%		VIw												
SeA	Stilson loamy sand, 0 to 2 percent slopes	3.99	0.9%		llw												
DoB	Dothan loamy sand, 2 to 5 percent slopes	2.16	0.5%		lle	9	5	120	900	6	10.5	3600	35	2600	6		4



СоВ	Cowarts loamy sand, 2 to 5 percent slopes	1.44	0.3%		lle												
OdA	Ocilla loamy sand, 0 to 2 percent slopes	1.19	0.3%		IIIw												
CaB 2	Carnegie sandy loam, 2 to 5 percent slopes, eroded	0.30	0.1%		IIIe												
CaC 2	Carnegie sandy loam, 5 to 8 percent slopes, eroded	0.25	0.1%		IVe												
CtC2	Cowarts sandy loam, 5 to 8 percent slopes, eroded	0.11	0.0%		IVe												
PeA	Pelham loamy sand, 0 to 2 percent slopes, occasionally flooded	0.08	0.0%		Vw												
Weighted Average					*_	*_	0.6	4.4	*-	0.1	17.5	0.2	12.6	*-	*_		

Area Symbol: GA107, Soil Area Version: 9

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.