



FuB	Fuquay loamy sand, 1 to 5 percent slopes	35.74	6.0%		IIIs															
LaB	Lakeland sand, 0 to 8 percent slopes	29.49	4.9%		IVs															
BnB	Bonifay sand, 0 to 8 percent slopes	25.02	4.2%		IIIs															
LeB	Leefield loamy sand, 0 to 3 percent slopes	18.46	3.1%		IIIw															
CaB2	Carnegie sandy loam, 2 to 5 percent slopes, eroded	17.37	2.9%		IIle															
CaC2	Carnegie sandy loam, 5 to 8 percent slopes, eroded	13.84	2.3%		IVe															
CoB	Cowarts loamy sand, 2 to 5 percent slopes	8.85	1.5%		IIe															
CtC2	Cowarts sandy loam, 5 to 8 percent slopes, eroded	7.73	1.3%		IIle															
CnB	Clarendon loamy sand, 0 to 3 percent slopes	7.67	1.3%		IIw															
StA	Stilson loamy sand, 0 to 2 percent slopes	6.71	1.1%		IIw															
Ra	Rains sandy loam	6.54	1.1%		IVw															
Gr	Grady loam	4.69	0.8%		Vw															
W	Water	3.73	0.6%																	
BaB	Blanton sand, 0 to 4 percent slopes	3.22	0.5%		IIIs															
<b>Weighted Average</b>						<b>0.7</b>	<b>0.4</b>	<b>10</b>	<b>74.6</b>	<b>0.5</b>	<b>0.9</b>	<b>298.5</b>	<b>2.9</b>	<b>215.6</b>	<b>0.5</b>	<b>0.3</b>				

Area Symbol: GA610, Soil Area Version: 8

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.